Applicant: Feng-Nien Ko et al.

Serial No.: 09/522,434 : March 9, 2000 Filed

: 2 of 11 Page

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- (Currently amended) A pharmaceutical composition for preventing or treating 1. peptic ulcer, comprising:
- an American ginseng extract in an amount effective for preventing or treating (i) peptic ulcer; and
 - a pharmaceutically acceptable carrier; (ii)

wherein said American ginseng extract consists essentially of a preparation obtained by a process consisting essentially of extraction with a solvent, centrifugation, and filtration through an ultrafiltration membrane with molecular weight cut off at least 1,000 to give a retentate, and concentration of the retentate; and the retentate contains consists essentially of compounds having molecular weights of between 1,000 and 10,000 dalton, and compounds having molecular weights of above 10,000 dalton.

(Cancelled). 2.

- (Original) The pharmaceutical composition according to claim 1, wherein said 3. American ginseng extract is extracted with a solvent having a polarity higher than 0.88.
- (Withdrawn) The pharmaceutical composition according to claim 3, wherein said 4. American ginseng extract is extracted with 10% - 80% ethanol aqueous solution.
- (Withdrawn) The pharmaceutical composition according to claim 3, wherein said 5. American ginseng extract is extracted with water.

(3) FISH & RICHARDSON 6175428906 FEB. 7. 2005 2:54PM Attorney's Docket No.: 11544-003001 / 0641-5101US

NO. 7075

Applicant: Feng-Nien Ko et al.

Serial No.: 09/522,434 : March 9, 2000 Filed : 3 of 11 Page

> (Cancelled). 6.

- (Withdrawn) The pharmaceutical composition according to claim 1, wherein said 7. American ginseng extract is extracted with water or 10% ~ 80% ethanol aqueous solution, centrifuged, and filtered through an ultrafiltration membrane with molecular weight cut off 1,000 to give a retentate and a filtrate containing substances with molecular weight less than 1,000 dalton, the filtrate being concentrated to dry, added ethanol solution to dissolve said substances, filtered said ethanol solution to obtain a soluble portion, added said soluble portion into said retentate to obtain a mixture, and concentrated said mixture to give the American ginseng extract.
 - (Withdrawn) The pharmaceutical composition according to claim 1, wherein said 8. solvent is water or 10% ~ 80% ethanol aqueous solution, and said ultrafiltration membrane with molecular weight cut off at least 1,000 is a membrane with molecular weight cut off 3,000 to give a retentate containing substances with molecular weight greater than 3,000 dalton, and the retentate being concentrated to give the American ginseng extract.
 - (Withdrawn) The pharmaceutical composition according to claim 8, wherein said 9. American ginseng extract is extracted with water or 10% - 80% ethanol aqueous solution, centrifuged, filtered through an ultrafiltration membrane with molecular weight cut off 3,000 to give a filtrate containing substances with molecular weight less than 3,000 dalton, the filtrate being loaded onto a reverse phase column, eluted with water, followed by ethanol solution and collected the cluate, and then the 95% ethanol is combined with said extract III in claim 8 and concentrated to give extract IV.
 - (Cancelled). 10.
 - (Previously presented) The pharmaceutical composition of claim 1, wherein said 11. peptic ulcer is a gastric ulcer or duodenal ulcer.

FEB. 7. 2005 2:55PM

(3) FISH & RICHARDSON 6175428906 Attorney's Docket No.: 11544-003001 / 0641-5101US

NO. 7075

Applicant : Feng-Nien Ko et al.

Serial No.: 09/522,434 : March 9, 2000

Filed Page

: 4 of 11

(Withdrawn) A process of preparing an American ginseng extract for preventing 12. and/or treating peptic ulcers, comprising the steps of:

- extracting American ginseng with a solvent with a polarity higher than 0.88 to (a) obtain an extract;
 - filtering said extract to obtain a filtrate; and **(b)**
 - centrifuging said filtrate and collecting the supernatant to give the total extract. (c)
- (Withdrawn) The process according to claim 12, further comprising the step of 13. ultrafiltrating said total extract to give a retentate and a filtrate.
- (Withdrawn) The process according to claim 13, wherein said ultrafiltrating is a 14. step in which said total extract is filtered by means of an ultrafiltration membrane with molecular weight cut off 1,000 or 3,000 to remove smaller molecules.
- (Withdrawn) The process according to claim 12, further comprising the step of 15. dialyzing said total extract.
- (Withdrawn) The process according to claim 15, wherein said dialyzing is a step 16. in which said total extract is dialyzing by means of a dialysis membrane with molecular weight cut off 500 to remove smaller molecules.
- (Withdrawn) The process according to claim 13, further comprising a 17. precipitating step in which said filtrate is concentrated to dry and then dissolve with 50% - 100% ethanol to obtain the soluble portion.
- (Withdrawn) The process according to claim 13, further comprising the step of 18. performing reverse phase chromatography of said filtrate.
- (Withdrawn) The process according to claim 18, wherein said reverse phase 19. chromatography is performing with a reverse phase polyaromatic resin column.

FEB. 7. 2005 2:55PM

(3) FISH & RICHARDSON 6175428906

NO. 7075

P. 7

Attorney's Docket No.: 11544-003001 / 0641-5101US

Applicant: Feng-Nien Ko et al.

Serial No.: 09/522,434 : March 9, 2000

Filed Page

: 5 of 11

- (Withdrawn) The process according to claim 12, wherein said American ginseng 20. extract is extracted with 10% - 80% ethanol aqueous solution.
- (Withdrawn) The process according to claim 12, wherein said American ginseng 21. extract is extracted with water.
- (Withdrawn) A method for preventing and/or treating a patient suffering from 22. peptic ulcer, comprising administrating an effective amount of American ginseng and/or the extracts thereof to said patient.
- (Previously presented) The pharmaceutical composition of claim 1, wherein said 23. American ginseng extract is filtered through the ultrafiltration membrane with molecular weight cut off 3,000.
- (Currently amended) The pharmaceutical composition of claim 1, wherein said 24. American ginsong extract is extracted with a solvent having has a polarity higher than 0.88.
- (Currently amended) The pharmaceutical composition of claim 24, wherein said 25. American ginseng extract solvent is extracted with 10% ~ 80% ethanol aqueous solution.
- (Previously presented) The pharmaceutical composition of claim 25, wherein said 26. American ginseng extract is filtered through the ultrafiltration membrane with molecular weight cut off 3,000.
- (Currently amended) The pharmaceutical composition of claim 24, wherein said 27. American-ginseng extract solvent is extracted with water.

FEB. 7. 2005 2:55PM

(3) FISH & RICHARDSON 6175428906

NO. 7075 P. 8

Applicant: Feng-Nien Ko et al.

Attorney's Docket No.: 11544-003001 / 0641-5101US

Serial No.: 09/522,434 Filed: March 9, 2000

Page : 6 of 11

- 28. (Previously presented) The pharmaceutical composition of claim 27, wherein said American ginseng extract is filtered through the ultrafiltration membrane with molecular weight cut off 3,000.
- 29. (Previously presented) The pharmaceutical composition of claim 24, wherein said American ginseng extract is filtered through the ultrafiltration membrane with molecular weight cut off 3,000.
- 30. (Withdrawn) The pharmaceutical composition of claim 1, wherein said American ginseng extract is extracted with 10% ~ 80% ethanol aqueous solution.
- 31. (Withdrawn) The pharmaceutical composition of claim 30, wherein said American ginseng extract is filtered through the ultrafiltration membrane with molecular weight cut off 3,000.
- 32. (Withdrawn) the pharmaceutical composition of claim 1, wherein said American ginseng extract is extracted with water.
- 33. (Withdrawn) The pharmaceutical composition of claim 32, wherein said American ginseng extract is filtered through the ultrafiltration membrane with molecular weight cut off 3,000.
- 34. (Previously presented) The pharmaceutical composition of claim 11, wherein said American ginseng extract is filtered through the ultrafiltration membrane with molecular weight cut off 3,000.
- 35. (Currently amended) The pharmaceutical composition of claim 11, wherein said American ginseng extract is extracted with a solvent having has a polarity higher than 0.88.

FEB. 7. 2005 2:56PM (3) FISH & RICHARDSON 6175428906

NO. 7075

Attorney's Docket No.: 11544-003001 / 0641-5101US

P. 9

Applicant: Feng-Nien Ko et al.

Serial No.: 09/522,434 : March 9, 2000

Filed

: 7 of 11 Page

(Currently amended) the pharmaceutical composition of claim 35, wherein said 36. American ginseng extract solvent is extracted with 10% ~ 80% ethanol aqueous solution.

(Currently amended) The pharmaceutical composition of claim 35, wherein said 37. American ginseng extract solvent is extracted with water.